

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 03 COLLIER

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR	
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	
0001		SR 29, NORTH OF CR 890/LAKE TRAFFORD ROAD	CC6	N	5200	S	5300	10500 C	10.28F	9.73	60.86F	52.82	10.45A	
0002		SR 29, SOUTHEAST OF CR 846/14TH STREET		N	3500	S	3900	7400 C	10.28F	9.73	60.86F	52.82	11.69A	
0003		SR 45/US 41, SOUTH OF CR 896/PINE RIDGE RD	CC5	S	27000	N	25500	52500 C	10.83F	10.50	56.26F	52.82	2.65P	
0005		SR 90/US 41, NORTHWEST OF CR 92	CC5	E	1900	W	1900	3800 C	11.12F	10.65	56.68F	52.82	10.55A	
0006		SR 29, NORTHEAST OF SR 90/US 41	CC615	N	900	S	900	1800 C	11.12F	10.65	56.68F	52.82	9.85A	
0011		US 41, 200 FT. EAST OF CR-94		E	1100	W	1100	2200 C	12.25F	11.73	52.91F	52.82	14.88A	
0012		SR 45/US 41 NORTH OF CR 896, PINE RIDGE RD	CC5	S	24000	N	22500	46500 C	10.83F	10.50	56.26F	52.82	2.99A	
0014		SR 90/US 41, NORTHWEST OF SR 951	CC5	E	13000	W	14000	27000 C	10.83F	10.50	56.26F	52.82	4.28A	
0015		SR 90/US 41 SE OF CR 864/RATTLESNAKE HAMMOCK	CC5	E	19000	W	18500	37500 C	10.83F	10.50	56.26F	52.82	3.24A	
0017		SR 45/US 41, SOUTH OF CR 862/VAN BEACH RD	CC563	S	23500	N	23000	46500 C	10.83F	10.50	56.26F	52.82	2.42P	
0018		SR45/US41, N OF CR846/IMMOKALEE RD/111TH AV	CC56	S	29500	N	30500	60000 C	10.83F	10.50	56.26F	52.82	3.11A	
0022		NORTH RD, FROM TERMINAL DRIVE TO CR 31	CC692	N	E	900	W	900	1800 C	11.12F	10.65	56.68F	52.82	7.04A
0023		CR 31/AIRPORT ROAD, S OF CR 886/GGATE PKWY	CC53	N	22000	S	20500	42500 C	11.12F	10.65	56.68F	52.82	4.64A	
0024		CR 31/AIRPORT RD, S OF CR 896/PINE RIDGE RD	CC	N	18000	S	17000	35000 C	11.12F	10.65	56.68F	52.82	3.56A	
0029		SR 29, WEST OF CR 846/1ST STREET	CC664	W	6600	E	6700	13300 C	10.28F	9.73	60.86F	52.82	7.73A	
0031		SR 29, SOUTH OF SR 93/I 75	COLLIER COUN	N	700	S	750	1450 C	11.12F	10.65	56.68F	52.82	27.75A	

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:40

PAGE -11- OF -735-

622UPD [1,0,0,2] 1_03_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 03 COLLIER

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
0035		PINE RIDGE RD/CR896, E OF GOODLETTE FRANK RD/CR8	W 28500	E 27000	55500 C	11.12F	10.65	56.68F	52.82	3.12A
0038		SR29/15TH ST N, S OF CR890/LAKE TRAFFORD RD CC6	N 7000	S 7400	14400 C	10.28F	9.73	60.86F	52.82	6.87A
0094	T	SR-90/US-41, .3 MI SE OF CR31/AIRPORT RD, COLLIER	E 20892	W 20807	41699 C	10.83A	10.50	56.26A	58.59	3.15A
0104		SR 90/US 41, EAST OF SR 29 CC616	E 1300	W 1300	2600 C	12.25F	11.73	52.91F	52.82	13.65A
0111		SR 90/US 41, WEST OF SR 29 CC617	E 1600	W 1500	3100 C	11.12F	10.65	56.68F	52.82	9.59A
0123		SR90/US41 W OF CR851/GOODLETTE (W OF 12TH ST) NP	E 18500	W 19000	37500 C	10.83F	10.50	56.26F	52.82	3.59A
0124		SR 90/US 41, SOUTHEAST OF CR 851/GOODLETTE RD NP	E 28000	W 28500	56500 C	10.83F	10.50	56.26F	52.82	2.86A
0143	T	SR 29, 0.4 MI S OF SR-82, IMMOKALEE, COLLIER CO.	N 6964	S 6988	13952 C	10.28A	9.73	60.86A	61.20	12.47A
0157		SR 951, SOUTH OF SR 90/US 41 CC557	N 15000	S 15000	30000 C	11.54F	11.11	54.58F	52.82	4.76A
0160		PINE RIDGE RD, E OF CR 31/AIRPORT RD NHS CC	E 23000	W 23000	46000 C	11.12F	10.65	56.68F	52.82	3.10A
0170		SR 84, SOUTHWEST OF CR 856 CC560	E 6500	W 6700	13200 C	11.12F	10.65	56.68F	52.82	5.42A
0173		SR 93/I 75, EAST OF SR 29 COLLIER COUNTY	W 8600	E 8900	17500 C	12.35F	11.10	53.11F	52.82	16.73A
0175		CR 31/AIRPORT ROAD, N OF SR 84/DAVIS BLVD CC55	N 26000	S 24000	50000 C	11.12F	10.65	56.68F	52.82	4.12A
0176		SR 84, EAST OF CR 31/AIRPORT ROAD CC5	E 12500	W 12500	25000 C	11.12F	10.65	56.68F	52.82	4.54A
0177		CR 31/AIRPORT ROAD, S OF SR 84/DAVIS BLVD CC55	N 18000	S 18500	36500 C	11.12F	10.65	56.68F	52.82	3.49A
0178		SR 84, WEST OF CR 31/AIRPORT ROAD CC5	E 13500	W 13500	27000 C	11.12F	10.65	56.68F	52.82	4.23A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:41

PAGE -12- OF -735-

622UPD [1,0,0,2] 1_03_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 03 COLLIER

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR	
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	
0182		SR 29, NORTH OF SR 93/I 75	COLLIER COUN	N	1200	S 1400	2600 C	10.28F	9.73	60.86F	52.82	18.16A
0183		SR 82, EAST OF HENDRY/COLLIER COUNTY LINE	LC2	E	4700	W 4800	9500 C	10.28F	9.73	60.86F	52.82	12.60A
0189		SR951, NW OF MARCO BRD(SS JOLLEY)/BUTTONWOOD	CC6	N	11500	S 11500	23000 C	11.54F	11.11	54.58F	52.82	5.62A
0190		SR 951, NORTH OF SR 84 & SOUTH OF I-75/SR93	CC5	N	21000	S 21500	42500 C	11.12F	10.65	56.68F	52.82	7.16A
0191	T	SR-93/I-75,0.5 MI N OF CR-896,COLLIER CO.		N	28434	S 28551	56985 C	9.07A	8.51	55.79A	57.27	6.01F
0192		SR 45/US 41, SOUTH OF 99TH AVENUE NORTH	CC5	S	25500	N 25000	50500 C	10.83F	10.50	56.26F	52.82	3.69P
0193		SR 84/DAVIS BLVD, WEST OF SR/CR 951	CC601	E	9400	W 9500	18900 C	11.12F	10.65	56.68F	52.82	4.82A
0194		SR 90/US 41, SOUTHEAST OF SR 951	CC6	E	5500	W 5200	10700 C	11.12F	10.65	56.68F	52.82	7.84A
0195		SR 84, WEST OF SANTA BARBARA BOULEVARD	CC5	E	15000E	W 14500E	29500 F	11.12F	10.65	56.68F	52.82	3.75P
0200		SR 82, WEST OF SR 29	CC661	E	5200	W 5200	10400 C	10.28F	9.73	60.86F	52.82	13.64A
0205		SR 29, NORTH OF FARM WORKER'S VILLAGE	CC66	N	3100	S 3300	6400 C	10.28F	9.73	60.86F	52.82	11.89A
0270	T	SR-90/US-41,0.7 MI W OF CR-94,COLLIER CO.		E	1227	W 1278	2505 C	13.73P	12.13	58.83P	64.01	20.06D
0351	T	SR-93/I-75,W OF EVERGLADES BLVD,COLLIER CO.		E	9504	W 9529	19033 C	12.35A	11.10	53.11A	55.62	11.23A
2000		SR 93/I 75, WEST OF CR 951		W	16000	E 16500	32500 C	9.07F	8.51	55.79F	52.82	13.09A
2002		SR 93/I 75, NORTH OF CR 846/IMMOKALEE ROAD		N	39000E	S 39000E	78000 F	9.07F	8.51	55.79F	52.82	13.11P
2003		SR 93/I-75, SOUTH OF CR 896/PINE RIDGE ROAD		N	18000E	S 19000E	37000 F	9.07F	8.51	55.79F	52.82	13.62P

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:41

PAGE -13- OF -735-

622UPD [1,0,0,2] 1_03_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 03 COLLIER

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
4010		CR-851/GOODLETTE RD, S OF FLEISCHMANN BLVD	NAP	N	17500	S	18000	35500 C	11.12F	10.65	56.68F	52.82	2.20A
4030		PARK SHORE DR, WEST OF CRAYTON ROAD	NAPLES	E	6200	W	6400	12600 C	11.12F	10.65	56.68F	52.82	2.90A
4034		GULF SHORE BLVD, S OF HARBOR RD	NAPLES 34	N	1200	S	1300	2500 C	11.12F	10.65	56.68F	52.82	4.30A
4503		AIRPORT RD/CR 31, NORTH OF PINE RIDGE RD/CR 896		N	21500	S	20500	42000 C	11.12F	10.65	56.68F	52.82	2.93A
4510		GOLDEN GATE PKWY/CR 886, WEST OF COLLIER BLVD/IS		E	9900	W	9700	19600 C	11.12F	10.65	56.68F	52.82	3.22A
4516		RATTLESNAKE HAMMOCK RD/CR 864, EAST OF SR 90/US		E	8700	W	8900	17600 C	11.12F	10.65	56.68F	52.82	2.99A
4521		BAYSHORE DRIVE, SOUTH OF US 41/NORTH OF WEEK AVE		N	5900	S	5900	11800 C	11.12F	10.65	56.68F	52.82	3.94A
4524		CR862/VANDERBILT BEACH RD, W OF SR45/US41	CC 5	E	9000	W	9300	18300 C	11.12F	10.65	56.68F	52.82	3.08A
4525		COLLIER BLVD/CR 951, N OF GOLDEN GATE PKWY/CR 88		N	13500	S	13500	27000 C	11.12F	10.65	56.68F	52.82	6.41A
4526		CR 896/PINE RIDGE RD, W OF LOGAN BLVD	CC 600	E	19500	W	20000	39500 C	11.12F	10.65	56.68F	52.82	4.55A
4528		SANTA BARBARA BLVD, SOUTH OF GOLDEN GATE PKWY/CR		N	13000	S	13000	26000 C	11.12F	10.65	56.68F	52.82	2.76A
4529		SANTA BARBARA BLVD, N OF GOLDEN GATE PKWY/CR 886		N	9300	S	9000	18300 C	11.12F	10.65	56.68F	52.82	3.60A
4530		GOLDEN GATE PKWY/CR 886, WEST OF GOODLETTE RD/CR		E	13500	W	12500	26000 C	11.12F	10.65	56.68F	52.82	2.71A
4531		GOLDEN GATE BLVD/CR 876, EAST OF COLLIER BLVD/CR		E	12000	W	12500	24500 C	11.12F	10.65	56.68F	52.82	5.12A
4532		CR951/COLLIER BLVD/ISLE OF CAPRI RD, N OF SR90/		N	12000	S	13000	25000 C	11.54F	11.11	54.58F	52.82	8.74A
4534		RATTLESNAKE HAMMOCK RD/CR 864, EAST OF COUNTY BA		E	8200	W	8200	16400 C	11.12F	10.65	56.68F	52.82	4.07A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:41

PAGE -14- OF -735-

622UPD [1,0,0,2] 1_03_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 03 COLLIER

SITE =====	SITE TYPE	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	DEMAND K100 =====	"D" FCTR =====	DEMAND D100 =====	"T" FCTR =====
4536		COLLIER BLVD, N OF PINE RIDGE RD/CR 896 CC 536	N	17000	S	17000	34000 C	11.12F	10.65	56.68F	52.82	4.94A
4543		AIRPORT ROAD/CR 31, NORTH OF SR 45/US 41	N	14000	S	13000	27000 C	11.12F	10.65	56.68F	52.82	4.19A
4548		VANDERBILT DR/CR 901, N OF WIGGINS PASS RD/CR 88	N	4100	S	4100	8200 C	11.12F	10.65	56.68F	52.82	3.46A
4567		IMMOKALEE RD/CR 846, E OF AIRPORT RD CC 567	E	23000	W	23000	46000 C	11.12F	10.65	56.68F	52.82	2.87A
4569		CR-851/GOODLETTE RD, S OF FIRST AVE SOUTH CC	N	14000	S	13500	27500 C	11.12F	10.65	56.68F	52.82	2.61A
4575		LIVINGSTON RD, N OF PINE RIDGE RD/CR 896 CC 57	N	13000	S	14000	27000 C	11.12F	10.65	56.68F	52.82	4.53A
4576		LIVINGSTON RD, S OF VANDERBILT BEACH RD CC 576	N	15000	S	14500	29500 C	11.12F	10.65	56.68F	52.82	3.58A
4578		VANDERBILT DR/CR 901, N OF 111TH AVE NORTH CC	S	4300	N	4400	8700 C	11.12F	10.65	56.68F	52.82	3.60A
4585		BLUEBILL AVE, WEST OF VANDERBILT DR/CR 901 CC 5	E	2700	W	2600	5300 C	11.12F	10.65	56.68F	52.82	4.60A
4597		LIVINGSTON RD/CR 881, S OF IMMOKALEE RD/CR 846	N	11500	S	12000	23500 C	11.12F	10.65	56.68F	52.82	3.51A
4602		CR951/COLLIER BLVD/ISLE OF CAPRI RD, N OF RATTLE	N	17000	S	17500	34500 C	11.54F	11.11	54.58F	52.82	6.26A
4603		CR951/COLLIER BLVD/ISLE OF CAPRI RD, S OF RATTLE	N	14500	S	15500	30000 C	11.54F	11.11	54.58F	52.82	6.64A
4605		GOLDEN GATE PKWY/CR 886, E OF SANTA BARBARA BLVD	E	14000	W	14500	28500 C	11.12F	10.65	56.68F	52.82	2.98A
4621		BARFIELD DR NORTH, OF COLLIER BLVD/CR 951 CC	N	1900	S	2000	3900 C	10.83F	10.50	56.26F	52.82	4.91A
4622		BARFIELD DR, SOUTH OF COLLIER BLVD/CR 951 CC	W	3800	E	3500	7300 C	10.83F	10.50	56.26F	52.82	6.13A
4628		PINE RIDGE RD, E OF CR 881/LIVINGSTON RD NHS/	E	29000	W	29500	58500 C	11.12F	10.65	56.68F	52.82	4.68A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:41

PAGE -15- OF -735-

622UPD [1,0,0,2] 1_03_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 03 COLLIER

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
4652		GOLDEN GATE BLVD/CR 876, EAST OF WILSON BLVD	C	E	8200	W	8200	16400 C	11.12F	10.65	56.68F	52.82	7.53A
4655		COLLIER BLVD/CR 951, S OF CR 846/IMMOKALEE RD	CC	N	11000	S	11500	22500 C	11.12F	10.65	56.68F	52.82	5.78A
4657		CR 951/COLLIER BLVD/ISLE OF CAPRI RD, S OF LELY		N	13500	S	14000	27500 C	11.54F	11.11	54.58F	52.82	6.84A
4659		CR 31/AIRPORT RD, NORTH OF VANDERBILT BEACH RD		N	14000	S	14500	28500 C	11.12F	10.65	56.68F	52.82	2.95A
4669		WIGGINS PASS RD/CR 888, WEST OF US 41	CC 669	W	4000	E	4400	8400 C	11.12F	10.65	56.68F	52.82	2.58A
4670		WIGGINS PASS RD/CR 888, EAST OF VANDERBILT DR		W	2700	E	3100	5800 C	11.12F	10.65	56.68F	52.82	3.44A
4673		LIVINGSTON RD/CR 881, N OF IMMOKALEE RD/CR 846		N	12000	S	12000	24000 C	11.12F	10.65	56.68F	52.82	4.65A
4686		LIVINGSTON RD, NORTH OF RADIO RD/CR 856	CC 686	N	11000	S	12000	23000 C	11.12F	10.65	56.68F	52.82	4.04A
4687		LIVINGSTON RD/CR 881, S OF GOLDEN GATE PKWY/CR 8		N	15500	S	16500	32000 C	11.12F	10.65	56.68F	52.82	6.03A
4690		LIVINGSTON RD/CR 881, 1.5 MI N OF GOLDEN GATE PK		N	13000	S	13000	26000 C	11.12F	10.65	56.68F	52.82	4.35A
4712		WINTERBERRY DR, WEST OF BARFIELD DR	MARCO 712	E	1900	W	1900	3800 C	11.12F	10.65	56.68F	52.82	3.98A
4900		LELY RESORT BLVD, S OF RATTLESNAKE HAMMOCK		N	2100	S	1900	4000 C	11.12F	10.65	56.68F	52.82	3.29A
4901		NAPLES BLVD, N OF PINE RIDGE ROAD		N	6300	S	6200	12500 C	11.12F	10.65	56.68F	52.82	2.08A
4902		IMMOKALEE DRIVE, W OF SR 29/W MAIN ST		E	2800	W	2500	5300 C	10.28F	9.73	60.86F	52.82	5.55A
5001		SR 90/US 41, SE OF SR 84/DAVIS BOULEVARD	CC5	E	17000	W	17000	34000 C	10.83F	10.50	56.26F	52.82	2.78A
5007		SR 45/US 41, SOUTH OF 7TH AVENUE NORTH	NP	S	18000	N	16500	34500 C	10.83F	10.50	56.26F	52.82	3.27A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:41

PAGE -16- OF -735-

622UPD [1,0,0,2] 1_03_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 03 COLLIER

SITE	SITE TYPE	DESCRIPTION		DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====		=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
5011		SR 45/US 41, NORTH OF CR886/GOLDEN GATE PKWY	NP	S	21000	N	20500	41500 C	10.83F	10.50	56.26F	52.82	2.55A
5029		SR 45/US 41, N OF FLEISCHMANN & S OF CR 886	NP	S	19500	N	19000	38500 C	10.83F	10.50	56.26F	52.82	2.14A
7001		SR 93/I-75 NB, OFF-RAMP TO SR 29	X	W	1100		0	1100 C	12.35F	11.10	99.99W	99.99	22.95F
7002		SR 93/I-75 SB, ON-RAMP FROM SR 29	X	E	1100		0	1100 C	12.35F	11.10	99.99W	99.99	22.95F
7003		SR 93/I-75 NB, ON-RAMP FROM SR 29	X	W	600		0	600 C	12.35F	11.10	99.99W	99.99	22.95F
7004		SR 93/I-75 SB, OFF-RAMP TO SR 29	X	E	450		0	450 C	12.35F	11.10	99.99W	99.99	22.95F
7011		SR93/I-75 NB,OFF-RAMP TO SR951/COLLIER BLVD	X1	W	2200		0	2200 C	9.07F	8.51	99.99W	99.99	5.13F
7012		SR93/I-75 SB,ON-RAMP FROM SR951/COLLIER BLVD	X1	E	2000		0	2000 C	9.07F	8.51	99.99W	99.99	5.13F
7013		SR93/I-75 NB,ON-RAMP FROM SR951/COLLIER BLVD	X1	W	11000		0	11000 C	9.07F	8.51	99.99W	99.99	5.13F
7014		SR93/I-75 SB,OFF-RAMP TO SR951/COLLIER BLVD	X1	E	11500		0	11500 C	9.07F	8.51	99.99W	99.99	5.13F
7021		SR93/I-75 NB,OFF-RAMP TO CR896/PINE RIDGE RD	X1	N	4200		0	4200 C	9.07F	9.50	99.99W	99.99	5.13F
7022		SR93/I-75 SB,ON-RAMP FROM CR896/PINE RIDGE RD	X1	S	4600		0	4600 C	9.07F	9.50	99.99W	99.99	5.13F
7023		SR93/I-75 NB,ON-RAMP FROM CR896/PINE RIDGE RD	X1	N	8700		0	8700 C	9.07F	9.50	99.99W	99.99	5.13F
7024		SR93/I-75 SB,OFF-RAMP TO CR896/PINE RIDGE RD	X1	S	9200		0	9200 C	9.07F	9.50	99.99W	99.99	5.13F
7031		SR93/I-75 NB,OFF-RAMP TO CR846/IMMOKALEE HWY	X1	N	5800		0	5800 C	9.07F	9.50	99.99W	99.99	5.13F
7032		SR93/I-75 SB,ON-RAMP FROM CR846/IMMOKALEE HWY	X1	S	6000		0	6000 C	9.07F	9.50	99.99W	99.99	5.13F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:41

PAGE -17- OF -735-

622UPD [1,0,0,2] 1_03_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 03 COLLIER

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
7033		SR93/I-75 NB,ON-RAMP FROM CR846/IMMOKALEE HWY X1	N	11500		0	11500 C	9.07F	9.50	99.99W	99.99	5.13F
7034		SR93/I-75 SB,OFF-RAMP TO CR846/IMMOKALEE HWY X1	S	11500		0	11500 C	9.07F	9.50	99.99W	99.99	5.13F

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:41

PAGE -18- OF -735-

622UPD [1,0,0,2] 1_03_CAADT.TXT

