

FLORIDA DEPARTMENT OF TRANSPORTATION
2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 07 HENDRY

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR		
0001		SR 80 W OF SR 25/80/US 27, WHIDDEN CORNER, HENDR	E	3200	W	3100	6300 C	10.10F	9.50	54.31F	52.82	18.43A
0002		SR 25/80/US 27, E OF SR 80, WHIDDEN CORNER, HEND	W	7600	E	6800	14400 C	10.10F	9.50	54.31F	52.82	24.54A
0004		SR 25/80/US 27, WEST OF RR, WEST OF CLEWISTON	W	8400	E	8600	17000 C	10.10F	9.26	54.31F	52.82	19.76A
0006		SR 29, N OF CALOOSAHATCHEE RIVER & S OF CR 78	N	7200	S	7300	14500 C	10.28F	9.73	60.86F	52.82	13.38A
0008		SR 29, NORTH OF COLLIER COUNTY LINE CC59	N	2400	S	2500	4900 C	10.28F	9.73	60.86F	52.82	19.86A
0011		SR 80, WEST OF SR 29/BRIDGE STREET, LABELLE	E	9000	W	7700	16700 C	10.10F	9.26	54.31F	52.82	9.00A
0013		SR 80, EAST OF FORD RD/CITY DITCH RD LABELLE	E	5100	W	5000	10100 C	10.10F	9.50	54.31F	52.82	10.37A
0015		SR 25/80/US 27, W OF NURSERY RD CLEWISTON	W	9100	E	9000	18100 C	10.10F	9.26	54.31F	52.82	19.87A
0018		SR 29, S OF CR 80A/COWBOY WAY LABELLE	N	2800	S	3300	6100 C	10.28F	9.73	60.86F	52.82	8.90F
0019		SR 80, EAST OF CR 78A	E	5900	W	5900	11800 C	10.10F	9.50	54.31F	52.82	15.12A
0021		SR 25/80/US 27, AT PALM BEACH/HENDRY COUNTY LINE	N	7400	S	7100	14500 C	10.10F	9.50	54.31F	52.82	22.44A
0022		SR 29, SOUTH OF BRIDGE STREET (TRUCK RTE), LABEL	N	5100	S	5200	10300 C	10.28F	9.73	60.86F	52.82	11.67A
0023		SR 29, N OF CR 80A/COWBOY WAY LABELLE	N	3900	S	4400	8300 C	10.28F	9.73	60.86F	52.82	6.14A
0024		SR 29, SOUTH OF DUDA PACKINGHOUSE ROAD	N	2400	S	2400	4800 C	10.28F	9.73	60.86F	52.82	20.11A
0025		SR 29, SOUTH OF SEARS ROAD	N	2100	S	2200	4300 C	10.28F	9.73	60.86F	52.82	19.99A
0039	T	SR-80, 3 MILES W OF CR 78A AT LEE COUNTY LINE	E	6157	W	6182	12339 C	10.37A	9.54	52.31A	54.39	9.62A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

10-MAR-2009 19:18:42

PAGE -25- OF -735-

622UPD [1,0,0,2] 1_07_CAADT.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 2008 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 07 HENDRY

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	DEMAND K100	"D" FCTR	DEMAND D100	"T" FCTR
1000		SR 80, @ R-39/E OF LEE CO LINE (HENDRY CO) LC3	E 6300	W 6400	12700 C	10.10F	9.50	54.31F	52.82	14.14A
4000		THOMPSON ROAD, N OF SR 80	N 100	S 150	250 C	10.16F	9.42	56.49F	52.82	3.31A
4018		BIRCHWOOD WAY, N OF E COWBOY WAY	N 250	S 350	600 C	10.16F	9.42	56.49F	52.82	13.68A
4032		E COWBOY WAY, 0.5 MI E OF SR 29 HC 32	E 3500	W 3600	7100 C	10.16F	9.42	56.49F	52.82	8.19A
5000		SR 80, SW OF CR 731 S/DR MLK BLVD	E 5100	W 5200	10300 C	10.10F	9.26	54.31F	52.82	13.10A
5002		SR 80, WEST OF SR 29/MAIN STREET, LABELLE	E 8400	W 8300	16700 C	10.10F	9.26	54.31F	52.82	10.34A
5003		SR 80, EAST OF SR 29/BRIDGE STREET LABELLE	E 7200	W 7100	14300 C	10.10F	9.26	54.31F	52.82	15.73P
5005		SR 29/MAIN STREET, SOUTH OF SR 80	N 4300	S 4300	8600 C	10.28F	9.73	60.86F	52.82	5.77A
5008		SR 25/80/US 27, WEST OF DEANE DUFF AV CLEWIST	W 11500	E 11000	22500 C	10.10F	9.26	54.31F	52.82	15.67A
5013		SR 25/80/US 27, WEST OF CR 835 CLEWISTON	W 7400	E 7200	14600 C	10.10F	9.50	54.31F	52.82	22.89A
9918	T	SR-25&80/US-27,1.6 MI EAST OF SR-80,HENDRY CO.	N 7608	S 7446	15054 C	9.84A	9.50	56.30A	58.83	21.83A

SITE TYPE : P= PORTABLE; T= TELEMETERED

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; X= UNKNOWN

"K/D" FLAGS : A= ACTUAL; F= VOLUME FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; W= ONE-WAY ROAD

"T" FLAGS : A= ACTUAL; F= AXLE FCTR CATG; D= DIST/FUNC. CLASS; P= PRIOR YEAR; S= STATE-WIDE DEFAULT; X= CROSS-REFERENCE

